

Exhibit B  
Oak Tree Preservation Plan Permit



TREE#	COMMON NAME	SPECIES	MULTI-STEMS (INCHES)	TOTAL DBH (INCHES)	DLR (FEET)	CONDITIONAL ASSESSMENT	NOTABLE CHARACTERISTICS	RECOMMENDATIONS
86	Valley Oak	(Quercus lobata)		22	24	Fair	Above average amount of deadwood; slightly sparse foliage; moderate sprout growth	Not at this time
87	Interior Live Oak	(Quercus wislizeni)	1, 1, 2, 2, 3	9	5	Fair		Not at this time
88	Valley Oak	(Quercus lobata)	3, 4, 5	12	8	Fair	Forks at grade; slightly above average amount of deadwood.	Not at this time
89	Valley Oak	(Quercus lobata)		9	15	Fair	Slightly above average amount of deadwood.	Not at this time
90	Valley Oak	(Quercus lobata)		22	25	Fair	Trunk has a slight bend to the south; above average amount of deadwood	Not at this time

Total Inventoried Trees = 5 Trees (74 aggregate diameter inches)

Five total trees (74 total inches dBH) to be removed from project site as part of development. The project shall mitigate for the removal of oak trees consistent with the requirements of the City’s Oak Tree Preservation Ordinance (Rocklin Municipal Code Section 17.77.080.B).